









**NOTES:**

- 1) MATERIAL: AISI 304/316 SS SHEET ANNEALED, 18 GAUGE (0.050) THICK  
PER MIL-S-5059 OR AMS 5513 (304) OR AMS 5524 (316) OR ASTM A240 OR ASME SA240  
REF DART SPEC M304S18GA
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: NONE
- 7) WEIGHT: 1.13 lbs

PRELIMINARY ISSUE

DESIGN	ZF	<b>DART AEROSPACE LTD</b> HAWKESBURY, ONTARIO, CANADA	
DRAWN	ZF		
CHECKED	SAD	DRAWING NO.	REV. B2
MFG. APPR.	DD	<b>D5646</b>	SHEET 4 OF 9
APPROVED		TITLE	SCALE
DE APPR.		<b>WEARPLATE ASSEMBLY</b>	NTS
DATE	19.09.24	COPYRIGHT © 2018 BY DART AEROSPACE LTD <small>THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	











